2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

# ORDINANCE 2019-

AN ORDINANCE AMENDING CHAPTER 711 (CITY RIGHTS-OF-WAY) PART 4 (COMMUNICATIONS FACILITIES IN CITY RIGHTS-OF-WAY), SECTION 711.403 (DEFINITIONS), SECTION 711.404 (REGISTRATION FOR PLACING, MAINTAINING OR COLLOCATING COMMUNICATION FACILITIES IN CITY RIGHTS-OF-WAY), SECTION 711.406 (APPEALS), SECTION 711.412 (PERFORMANCE BOND FOR CONSTRUCTION AND MAINTENANCE), SECTION 711.413 (SURETY FUND), SECTION 711.417 (ENFORCEMENT OF PERMIT OBLIGATIONS; SUSPENSION AND REVOCATION OF PERMIT), SECTION 711.418 (ADDITIONAL REGISTRATION TERMS AND PERMIT CONDITIONS), SECTION 711.427 (REGISTRATION AND PERMIT FOR PLACING, MAINTAINING OR COLLOCATING COMMUNICATION FACILITIES IN CITY RIGHTS-OF-WAY ASSOCIATED WITH COLLOCATION OF SMALL WIRELESS FACILITIES OR SMALL WIRELESS SOLE PURPOSE NEW UTILITY POLES), SECTION 711.429 (PERMIT APPLICATION), SECTION 711.432 (OBJECTIVE DESIGN STANDARDS), SECTION 711.437 (PERMIT REQUIRED; EXCEPTIONS), SECTION 711.438 (OBJECTIVE DESIGN STANDARDS), IN ORDER TO COMPLY WITH THE PROVISIONS AND REQUIREMENTS CONTAINED IN SECTION 337.401, FLORIDA STATUTES; PROVIDING FOR CODIFICATION INSTRUCTIONS; PROVIDING AN EFFECTIVE DATE.

BE IT ORDAINED by the Council of the City of Jacksonville: Section 1. Amending Sec. 711.403 (Definitions), Ordinance Code. Sec. 711.403 (Definitions), Ordinance Code, is hereby amended to read as follows:

Sec. 711.403 Definitions. For purposes of this Part, the following terms, phrases, words and their derivations (whether capitalized in this Part or not) shall have the meanings given. Where not inconsistent with the context, words used in the present tense include the future tense, words in the plural number include the singular number, and words in the singular number include the plural number. The words "shall" and "will" are mandatory, and "may" is permissive. Words not otherwise defined shall be construed to mean the common and ordinary meaning.

\* \* \*

(d) Applicable Codes means the uniform building, fire, electrical, plumbing, or mechanical codes adopted by a recognized national code organization or local amendments to those codes, or local codes or ordinances adopted to implement Section 337.401(7), F.S. The term includes the objective design standards adopted pursuant to Subparts D and E of this Part that require a Collocated Small Wireless Facility or Small Wireless Sole Purpose New Utility Poles to meet reasonable location context, color, stealth, and concealment requirements enacted solely to address threats of destruction of property or injury to persons, and includes the National Electric Safety Code and the 2017 edition of the Florida Department of Transportation Utility Accommodation Manual.

\* \* \*

City Rights-of-Way means land in which the City owns the fee (m) or has an easement devoted to or required for use as a Transportation Facility and may lawfully grant access pursuant to applicable law, or under the control and jurisdiction of the Florida Department of Transportation provided that the City is authorized to apply this Ordinance under a permit-delegation agreement in accordance with F.S. § 337.401(1)(a) or otherwise, and includes the surface, the air space over the surface and the area below the surface of such rights-of-way. For purposes of this definition, Transportation Facility means any public way predominately associated with the vehicular transportation of people, goods or property from place to place which is constructed, operated, or maintained in whole or in part from public funds. The term City Rights-of-Way shall not include: (1) City, State, or federal rights-of-way unless the City has been properly delegated authority to issue Permits for structures within those rights-of-way, unless prohibited by State or federal law; (2) platted utility easements that are not part of a dedicated Transportation Facility right-of-way; (3) platted but unopened Transportation Facility rights-of-way; (4) property owned by a Person other than the City; (5) service entrances or driveways leading from the road or street onto Adjacent Property; or (6) any real or personal City property except as described above and shall not include City buildings, fixtures, poles, conduits, facilities or other structures or improvements, regardless of whether they are situated in the City's Rights-of-Way except as allowed by this Part or applicable State or federal law.

### \* \* \*

(z) Limited Work shall mean (i) routine maintenance, which

- 3 -

shall mean the performance of service restoration work on existing facilities, or repair work, including, but not limited to, emergency repairs of existing facilities or extensions of such facilities for providing Communication Services to customers; (ii) replacement of an existing Wireless Facility with a Wireless Facility that is substantially similar or of the same or smaller size; or (iii) installation, placement, maintenance or replacement of a Micro Wireless Facility that is suspended on cable strung between Existing Structures in compliance with applicable codes by or for a properly registered Communications Services Provider.

\* \* \*

Section 2. Amending Section 711.404 (Registration for placing, maintain or collocating communications facilities in city rights-of-way), Ordinance Code. Section 711.404 (Registration for placing, maintain or collocating communications facilities in city rights-of-way), Ordinance Code, is hereby amended to read as follows:

Sec. 711.404 Registration for placing, maintaining or collocating Communications Facilities in City Rights-of-Way.

\* \* \*

(e) Registration updates, renewals and cancellation. Within 30 days of any change in the information and documentation required to be submitted pursuant to subsection (b) above, the Registrant shall provide updated information to the City. Each Registrant shall renew its Registration by January 31 of even-numberedevery five (5) years (beginning in the year 2020) in accordance with the Registration requirements of this Subpart. Failure to renew a Registration may result in the City restricting the issuance of additional Permits until the Provider has complied with the

- 4 -

Registration requirements of this Subpart A. A Registrant may cancel a Registration upon written notice to the City stating that it will no longer place, maintain or Collocate any Communications Facilities in City Rights-of-Way and will no longer need to obtain Permits to perform work in City Rights-of-Way. A Registrant shall not cancel a Registration if the Registrant continues to place, maintain or Collocate any Communications Facilities in City Rights-of-Way.

\* \* \*

Section 3. Amending Section 711.406 (Appeals), Ordinance Code. Section 711.406 (Appeals), Ordinance Code, is hereby amended to read as follows:

Sec. 711.406 Appeals. The following final determinations by the Director or City Council, as applicable, are subject to appeal as provided in this Part:

The following final determinations by the Director or City Council, as applicable, are subject to appeal as provided in this Part:

- (a) Denial of an initial Registration or Registration renewal;
- (b) Involuntary termination of a Registration;
- (c) Suspension or revocation of a Permit; and

(d) The issuance of a notice of withdraw from the Surety Fund; and

(ed) Denial of a Permit to place, maintain or Collocate a Communications Facility in the City's Rights-of-Way.

Appeals are subject to the procedures set forth in this Section, the rules adopted pursuant to Part 5 of this Chapter, and any such suspension or denial is subject to all applicable law. An appeal of an action on a registration application must be filed with the Director within 30 days of the date of the final, written decision to be appealed and shall afford the Registrant an opportunity to

- 5 -

appear before the Rights-of-Way Committee in the manner described Section 711.105(b)(2) of this Chapter. Any appeal not timely filed as set forth above shall be waived. Upon correction of any grounds that gave rise to a suspension or denial, the suspension or denial shall be lifted. <u>Any administrative review by the Director or City</u> <u>Council of a final determination must be completed and a written</u> <u>decision issued within 45 days after a written request for review</u> <u>is made. Any Such</u> Đdecisions of the Council shall constitute a final decision of the City of Jacksonville.

Section 4. Amending Section 711.412 (Performance Bond for Construction and Maintenance), Ordinance Code. Section 711.412 (Performance Bond for Construction and Maintenance), Ordinance Code, is hereby amended to read as follows:

# Sec. 711.412 Performance Bond for Construction Bond for Right-of-Way Restorationand Maintenance.

Prior to issuing a Permit where the work under the permit (a) will require restoration of City Rights-of-Way, the City may require a performance construction bond to secure the restoration of the City's postconstruction Rights-of-Way. Notwithstanding the foregoing, a performance bond hereunder shall only be required-to-the-extent-that-the-cost-of-the-restoration-exceeds the amount recoverable against the Surety Fund as provided in Section 711.413. to the preconstruction condition. Six months after the completion of the construction of the Communications Facility and satisfaction of all obligations in accordance with the bond, the bond may be eliminated, and the City shall consent to the elimination where necessary (however, the City may subsequently require a new bond for any subsequent work in the City's Rights-of-Way). The performanceconstruction bond shall be issued by a surety having a minimum rating of an A.M. Best A-VII rating or better and duly authorized to do business in Florida;

- 6 -

shall be in a form acceptable and subject to the approval of the Director; and shall provide that: "This bond may not be canceled, or allowed to lapse, until 60 days after receipt by the City, by certified mail, return receipt requested, of a written notice from the issuer of the bond of intent to cancel or not to renew or upon the sooner receipt of direction to release from the City." The City shall accept a letter of credit or similar financial instrument issued by any financial institution that is authorized to do business within the United States, provided that a claim against the financial instrument may be made by electronic means, including by facsimile.

The rights reserved to the City under this Section are in (b) addition to all other rights of the City, whether reserved in this Chapter, or authorized by other law, and no action, proceeding or exercise of a right with respect to the performanceconstruction bond will affect any other right the City may have. Any proceeds recovered under the performanceconstruction bond may be used to reimburse the City for such additional expenses as may be incurred by the City as a result of the failure of Registrant to comply with the responsibilities imposed by this Section, including, but not limited to, attorney's fees and costs of any action or proceeding.

Section 5. Amending Section 711.413 (Surety Fund), Ordinance Code. Section 711.413 (Surety Fund), Ordinance Code, is hereby amended to read as follows:

# Sec. 711.413 Surety Fund.

(a) At or prior to the time a Registrant receives its first Permit to place, maintain or Collocate a Communications Facility in City Rights-of-Way after the effective date of this Chapter, the Registrant shall be required to file with the City, for City

- 7 -

approval, an annual bond or irrevocable evergreen letter of credit (in a form approved by the City and issued by a financial institution with a location in the City), having as a surety a company qualified to do business in the State of Florida, and acceptable to the Director (consulting with the City's Risk Management Division), which shall be referred to as the "Surety Fund." The Surety Fund shall be required as follows: in the sum of \$3,000 per pole for up to 10 poles; for 11-50 poles, the sum of \$45,000; for 51-100 poles, the sum of \$75,000 and 101+ poles, the sum of \$100,000. The Surety Fund shall be maintained from such time through the earlier of: (i) transfer, sale, assignment or removal of all Communications Facilities in City Rights-of-Way or; (ii) 12 months after the termination or cancellation of any Registration. The Surety Fund shall be conditioned on the full and faithful performance by the Registrant of all duties and obligations relating to indemnification and abandonment of all requirements, duties and obligations imposed upon Registrant by the provisions of this Chapter. The Surety Fund shall be furnished annually or as frequently as necessary to provide a continuing guarantee of the Registrant's full and faithful performance of all duties and obligations relating to indemnification and abandonment imposed upon Registrant by the provisions of this Chapter at all times. In the event a Registrant fails to perform its duties and obligations relating to indemnification and abandonment imposed upon the Registrant by the provisions of this Chapter, subject to Section 711.414 of this Part, there shall be recoverable, jointly and severally from the principal and surety of the Surety Fund, any damages or loss suffered by the City as a result, including the full amount of any compensation, indemnification or cost of removal, relocation or abandonment of any property of the Registrant,

- 8 -

plus a reasonable allowance for attorneys' fees, up to the full amount of the Surety Fund. The City may in its reasonable discretion accept a Surety Fund from the Registrant or its parent company, or other entity acceptable to the Director.

\* \* \*

Section 6. Amending Section 711.417 (Enforcement of Permit Obligations; Suspension and Revocation of Permit), Ordinance Code. Section 711.417 (Enforcement of Permit Obligations; Suspension and Revocation of Permit), Ordinance Code, is hereby amended to read as follows:

The Director may order the suspension of placement, maintenance, or collocation work under a Permit and ultimately may revoke any Permit, in the event of a substantial breach of the terms and conditions of any Applicable Codes, State or federal laws or regulations, or any condition of the Permit. A substantial breach by the permittee may include, but is not limited to:

- The violation of any material provision of the Permit or Applicable Codes and applicable objective design standards;
- (2) An evasion or attempt to evade any material provision of the Permit or the perpetration or attempt to perpetrate any fraud or deceit upon the City;
- (3) Any material misrepresentation of act in the process of permittee's request for a Permit or Registration;
- (4) The failure to maintain the required performanceconstruction bond, Surety Fund or insurance;
- (5) The failure to properly restore the City's Rights-of-Way;
- (6) The failure to adhere to the indemnification provisions;
- (7) The failure to comply within the specified time with an order issued by the Director to correct a harmful condition or remedy a hazardous situation;
- (8) The failure to Register, renew Registration, or provide

- 9 -

notice of transfer;

- (9) The failure to relocate or remove Communications Facilities pursuant to this Part and F.S. Ch. 337, as amended;
- (10) The failure to comply with a stop work order issued by the Director; or
- (11) Conducting work in the City's Rights-of-Way without a Permit, if required.

If the Director determines that the permittee has committed a substantial breach of a term or condition of the Permit or this Part, the Director shall make a written demand upon the permittee to remedy such violation. The demand shall state that the continued violation(s) may be cause for suspension or revocation of the Permit. Further, the Director, at his or her discretion, may impose additional or revised Permit conditions on the Permit following a substantial breach. Within 30 days of receiving the notification of the breach, the permittee shall contact the Director with a plan, acceptable to the Director, for its correction or shall submit a statement as to why a substantial breach has not occurred. The Director shall provide additional time as reasonably necessary for a permittee to establish a plan acceptable to the Director taking into account the nature and scope of the breach. The permittee's failure to contact the Director, failure to submit an acceptable plan, or failure to reasonably implement an approved plan, shall be cause for suspension or revocation of the Permit. A final determination to suspend or revoke a Permit may be appealed in accordance with the procedures set forth in Subpart A. If a Permit is revoked, the permittee shall reimburse the City for the City's reasonable costs, including restoration costs, administrative costs, attorney's fees, and the cost of collection. The City may charge the costs and/or fees incurred by the City relating to indemnity or abandonment to the Surety Fund set forth in Subpart A - 10 -

if the Provider fails to remit payment within 30 days of notification. The Director may cause an immediate stop work order where the permittee's construction, placement, maintenance or collocation poses a serious threat to the health, safety or welfare of the public until such time as such serious threat has been abated.

Section 7. Amending Section 711.418 (Additional Registration terms and Permit conditions), Ordinance Code. Section 711.418 (Additional Registration terms and Permit conditions), Ordinance Code, is hereby amended to read as follows:

Sec. 711.418 Additional Registration terms and Permit conditions.

\* \* \*

(g) No interference with use of City Rights-of-Way. All Communications Facilities shall be placed, maintained or Collocated so as not to-unreasonably interfere with the use of the City's Rights-of-Way by the public-and with the rights and convenience of property-owners who adjoin any of the City's Rights-of-Way and with the rights and convenience of property owners who adjoin any of the City's Rights-of-Way. The use of trenchless technology (i.e., directional bore method) for the installation of Underground Communications Facilities in the City's Rights-of-Way as well as joint trenching or the collocation of facilities in existing conduit is strongly encouraged, and should be employed wherever feasible.

\* \* \*

(s) Correction of harmful conditions. If, at any time, the City reasonably determines that a Communications Facility is, or has caused a condition that is harmful to the health, safety or general welfare of any Person, then the Provider shall, at its own expense, correct or eliminate all such conditions after

- 11 -

being provided reasonable notice. In an emergency, as determined by the Director, when the Provider is not immediately available or is unable to provide the necessary immediate repairs to any Communications Facility that is a threat to public safety, then the City shall have the right to remove, make repairs to or eliminate same with the total cost being charged to and paid for by the Provider upon demand. The City may charge the cost <u>incurred by the City relating to indemnity or abandonment</u> to the Surety Fund set forth in Subpart A if the Provider fails to remit payment within 30 days of notification.

Remedy of hazardous conditions. If, at any time, (t) а condition exists that the Director reasonably determines is an emergency that is potentially hazardous or life threatening to any Person or is a threat to health or safety of the general public, and to remedy such condition the City reasonably determines that a Provider must temporarily relocate or temporarily shut off service or transmissions through a specific Communications Facility, then the City, as an appropriate exercise of its police powers, may order the Provider to immediately perform such temporary relocation or shut off until the condition has been remedied, and to do so at its own expense and without liability to or recourse against the City. In such an emergency, when the Provider is not immediately available or is unable to provide the necessary immediate relocation or shut off of the specific Communications Facility, then the City shall have the right to perform, or cause to be performed, such temporary relocation or shut off until the condition has been remedied with the total cost being charged to and paid for by the Provider upon demand. The City may charge the cost incurred by the City relating to indemnity or abandonment to the Surety Fund set forth in this Subpart A if the Provider fails to remit - 12 -

payment within 30 days of notification.

\* \* \*

Section 8. Amending Section 711.427 (Registration and Permit for placing, maintaining or collocating Communications Facilities in City Rights-of-Way associated with Collation of Small Wireless Facilities or Small Wireless Sole Purpose New Utility Poles), Ordinance Code. Section 711.427 (Registration and Permit for placing, maintaining or collocating Communications Facilities in City Rights-of-Way associated with Collation of Small Wireless Facilities or Small Wireless Sole Purpose New Utility Poles), Ordinance Code, is hereby amended to read as follows:

Sec. 711.427 Registration and Permit for placing, maintaining or collocating Communications Facilities in City Rights-of-Way associated with Collation of Small Wireless Facilities or Small Wireless Sole Purpose New Utility Poles.

\* \* \*

(e) — Intent. In-order to implement the City's intent to minimize the negative aesthetic impact and potential conflicts with other mobility and utility uses occurring within the City's Rights of Way presented by a proliferation of new multiple poles and to maximize location context, color, stealth and concealment requirements contained herein, any application for placement of a Small Wireless Facility within the City's Rights of Way shall first attempt to collocate such facility on an Existing Structure. Only when an Applicant can demonstrate to the satisfaction of the Director, as described in Section 711.437(d), will a Small Wireless Sole Purpose New Utility Pole be allowed.

(C) Undergrounding.

(1) New Small Wireless Facilities. In an area where City has required all public utility lines in the City Right-of-Way to - 13 - be placed underground, a Communications Service Provider must comply with written, objective, reasonable, and nondiscriminatory requirements that prohibit new Utility Poles used to support Small Wireless Facilities if:

(i) City, at least 90 days prior to the submission of an Application, has required all public utility lines to be placed underground;

(ii) Structures that City allows to remain above ground are reasonably available to Communications Service Providers for the Collocation of Small Wireless Facilities and may be replaced by a Communications Service Providers to accommodate the Collocation of Small Wireless Facilities; and

(iii) A Communications Service Providers may install a new Utility Pole in the designated area in the City Right-of-Way that otherwise complies with this subsection and it is not reasonably able to provide Wireless Services by Collocating on a remaining Utility Pole or other structure in the City Right-of-Way.

(2) Pre-existing Small Wireless Facilities. For Small Wireless Facilities installed before City adopts requirements that public utility lines be placed underground, City must:

(i) Allow a Communications Service Provider to maintain the Small Wireless Facilities in place subject to any applicable pole attachment agreement with the pole owner; or

(ii) Allow the Communications Service Provider to replace the associated pole within 50 feet of the prior location in accordance with Subpart E. Section 9. Amending Section 711.429 (Permit Application), Ordinance Code. Section 711.429 (Permit Application), Ordinance Code, is hereby amended to read as follows:

# Sec. 711.429 Permit Application.

- (a) Contents. As part of any permit application to Collocate a Small Wireless Facility or Small Wireless Sole Purpose New Utility Pole in the City's Rights-of-Way, the Registrant shall provide a permit application or consolidated permit application that sets forth, at a minimum, the following:
  - (1) Engineering plan. An engineering plan signed and sealed by a Florida licensed professional engineer, which includes:

\* \* \*

(iii) The distance of the proposed Small Wireless Facility or Small Wireless Sole Purpose New Utility Pole, including ground-mounted equipment, from pavement, sidewalks, driveways, <u>hydrants, residential interior side</u> <u>lot lines, primary residential structures, commercial</u> <u>business signs, the front/principal façades of</u> <u>businesses, ramps, trees, underground Utilities and other</u> above-grade and below-grade structures and utilities located within the City's Rights-of-Way and within 50 feet of the proposed Small Wireless Facility or Small Wireless Sole Purpose New Utility Pole;

\* \* \*

(v) Sufficient specificity demonstrating compliance with the Florida Building Code and other applicable codes, including but not limited to sight lines or clear zone standards and specifications for transportation, pedestrians, and public safety as provided in the Florida

- 15 -

Department of Transportation Plans Preparation Manual (sufficient specificity for sight lines and clear zones shall include the submission of site photographs that show the location of each proposed Small Wireless Facility and Wireless Equipment from at least three vantage points within the public streets or other publicly accessible places, together with a vicinity map that shows the proposed site location and the photo location for each vantage point), noise control code in Section 368, Part 2, Florida Department of Transportation Manual of Uniform Minimum Standards for Design, Construction and Maintenance for Streets and Highways (the Florida Greenbook), and the Florida Department of Transportation Design Standards, as amended, the Trench Safety Act (F.S. Ch. 553), the Underground Facility Damage Prevention & Safety Act (F.S. Ch. 556); the "Safety Rules for the Installation & Maintenance of Electrical Supply & Communication Lines" established by the U.S. Department of Commerce, Bureau of Standards and the National Electric Safety Code and the objective design standards adopted in the table incorporated into the applicable Subpart, below;

# \* \* \*

(vii) a certification including actual frequency and power levels that each proposed Small Wireless Facilities will comply with applicable FCC radio frequency exposure standards and exposure limits.

1

(b) Application review. An Application to Collocate a Small
Wireless Facility or place a Small Wireless Sole Purpose New
Utility Pole shall be reviewed by the Director as follows:

- 16 -

1 2 (6) Deemed approved. Prior to commencing construction, a 3 person with a deemed approved Permit must be registered 4 pursuant to this Part and must, if required, must file a 5 performanceconstruction bond and Surety Fund with the City. 6 (c) Criteria for denial of Permit. The Director may deny an 7 application for a Small Wireless Facility or Small Wireless Sole 8 Purpose New Utility Pole in the City Rights-of-Way if the 9 proposed location: 10 (5) Materially fails to comply with any Applicable Codes, 11 except applicable objective design standards; and 12 (6) Fails to meet and/or comply with any applicable design 13 standards set forth in Subparts D and E; and 14 15 (7) Fails-to be collocated-on an Existing-Structure when 16 such structure (or Replacement Structure) has not been 17 demonstrated by the Applicant as being available and 18 sufficient for the placement of a Small Wireless Facility; 19 and 20 (용7) For Collocations on JEA Utility Poles, does not include 21 a JEA Notice of Approval. Application for Waiver. The applicant may seek a waiver 22 (d) 23 from any requirement, including the objective design standards, by filing a request for waiver with the Department, to be 24 25 heardgranted or denied within 45 days of the date of the request 26 the appropriate committee of the CouncilTower Review by 27 Committee pursuant to section 656.1509. A request for a waiver 28 shall be filed contemporaneously with the Permit application. The request for waiver shall state each Section, subsection, 29 30 requirement, standard or criteria for which a waiver is being 31 sought. A request for a waiver shall include a detailed

explanation, with supporting engineering or other data, as to why a waiver from the requirements of this Section is required. The Council, in considering a proposed waiver shall determine whether the proposed waiver is in harmony with the spirit and intent of this Part, considering the following criteria as applicable:

#### \* \* \*

(iii) The effect of the proposed waiver <u>has been shown by the</u> <u>applicant to</u> not diminish property values in, or negatively alter the aesthetic character of the area surrounding the site, and will not substantially interfere with or injure the rights of others whose property would be affected by the same;

Section 10. Amending Section 711.432 (Objective design standards), Ordinance Code. Section 711.432 (Objective design standards), Ordinance Code, is hereby amended to read as follows:

# Sec. 711.432 Objective design standards.

## \* \* \*

(b) Objective design standards. All proposed Collocated Small Wireless Facilities shall meet the following objective design standards:

Collocation on Existing Poles in City Rights-of-Way Generally applicable standards:

Standards applicable to all existing and new pole types (streetlight, transmission, signal, other) and materials:

(1) Shall at all times comply with and abide by all applicable provisions of the State and Federal law and City ordinances, codes and regulations when placing, maintaining or collocating a Communications Facility or Small Wireless Utility Pole in City Rights-of-Way; no guy wires are allowed.
 (2) No signage allowed, unless legally required; no advertising or company information allowed.

(3) No lights unless required by FAA.

Collocation on existing poles in City Rights-of-Way:

	City, JEA and Private Utility poles in use at
	time of collocation permit application, which
	either have a dedicated power service to pole
	or are on the same side of the street as
	transmission and/or distribution lines.
	Prohibited on: historic street lights; -and any
Eligible poles <u>;</u>	pole less than 15 feet in height <u>; in</u>
concealment	residential areas, any pole not in line with
	common interior side lot lines, any pole
	further than 10 feet from the side property
	line on corner lots, any pole in front of a
	lot not exceeding 60 feet, or any pole located
	within 150 feet of a single-family residential
	structure.
	structure.
Maximum Height of	structure. Antenna
Maximum Height of antenna	<u>Antenna</u> 10 feet above top of existing pole. No
_	Antenna 10 feet above top of existing pole. No extensions of pole height below the antenna is permitted.
antenna	Antenna 10 feet above top of existing pole. No extensions of pole height below the antenna is
antenna Max Height above	Antenna 10 feet above top of existing pole. No extensions of pole height below the antenna is permitted. 10 feet above replacement pole height.
antenna Max Height above	Antenna 10 feet above top of existing pole. No extensions of pole height below the antenna is permitted. 10 feet above replacement pole height. Flush mounted to top of pole only, in line
antenna Max Height above replacement pole Antenna location	Antenna 10 feet above top of existing pole. No extensions of pole height below the antenna is permitted. 10 feet above replacement pole height.
antenna Max Height above replacement pole Antenna location Max volume of	Antenna 10 feet above top of existing pole. No extensions of pole height below the antenna is permitted. 10 feet above replacement pole height. Flush mounted to top of pole only, in line
antenna Max Height above replacement pole Antenna location	Antenna 10 feet above top of existing pole. No extensions of pole height below the antenna is permitted. 10 feet above replacement pole height. Flush mounted to top of pole only, in line with the pole.
antenna Max Height above replacement pole Antenna location Max volume of	Antenna 10 feet above top of existing pole. No extensions of pole height below the antenna is permitted. 10 feet above replacement pole height. Flush mounted to top of pole only, in line with the pole.
antenna Max Height above replacement pole Antenna location Max volume of antenna	Antenna 10 feet above top of existing pole. No extensions of pole height below the antenna is permitted. 10 feet above replacement pole height. Flush mounted to top of pole only, in line with the pole. 6 Cu. feet.

1

2

	Antenna and its connection to pole must be completely shrouded, in line with the pole and must smoothly transition around pole top.	
Size of antenna shroud	Diameter no more than 2× greater than the diameter of the pole top (cylinder).	
Shroud Color/Material	Must match color and style of pole, all wiring and equipment must be enclosed in shroud or internal to pole.	
Number of antennae shrouds allowed	One, 6 cu. foot antenna shroud allowed per pole, but no limit on number of antennae within shroud.	
Replacement pole		
Appearance	Must be of same design, material and color as existing pole, unless original pole owner has a planned project to replace poles, in which case the pole must conform to the updated design, color and material.	
Location	Must be in substantially same location and continue to serve primary function as original pole.	
-Diameter of	Diameter cannot be-greater than 1.5× diameter	
replacement-pole	of-existing pole.	
Diameter of	Diameter cannot be greater than 1.5× diameter	
replacement pole	of existing pole.	
Height of replacement pole	Same height as original pole (not including antenna), unless otherwise allowed. For traffic signal poles and streetlights, replacement pole must be the same height as the original pole; provided, however, for a	

	<pre>streetlight with an overhead power feed, the height of the streetlight pole may be increased up to five feet if reasonably necessary to accommodate the top mounted antenna and any related equipment. For transmission/distribution poles, replacement pole may be up to five feet above the original pole height.</pre>
Wood replacement poles	Prohibited unless wood poles are the predominant pole in the corridor and if there are no plans to upgrade poles to a different material.
Hollow replacement poles	Non-wood replacement poles such as aluminum, fiberglass, concrete, etc. must be capable of accommodating an internal chase, and all wiring shall be interior to pole; provided, however, this requirement for concrete poles applies to concrete streetlight poles and not to concrete transmission and distribution line poles if such requirement is not reasonably practical.
	Wireless Equipment
Max cumulative volume	Cumulative maximum volume of all Wireless Equipment shall not exceed 30 Cu. Ft.
Location <u>context</u> <u>and concealment</u> of Wireless Equipment	Up to <del>10</del> <u>28</u> cu. feet by volume may be pole, provided that the following types of associated ancillary equipment are not included in the calculation of equipment volume: electric meters, concealment elements, telecommunications demarcation boxes, ground-

based enclosures, grounding equipment, power transfer switches, cutoff switches, vertical cable runs for the connection of power and other services, and utility poles or other support structures +; width shall not exceed 2.5x the diameter of pole. mounted, flush-with the pole, provided the depth of any such equipment shall not-exceed 20-inches-and width shall not exceed 2.5× the diameter of pole. All Wireless-Equipment in excess of 10-eu. feet shall be located underground or in an architectural pedestal base not exceeding-36 inches high and a-square shape not-exceeding 18 inches wide by 18-inches in-depth;-and having-architectural molding on-all flat surfaces. All grounding rods must be below grade and inside a pull box which meets FDOT standards and must not be placed on a pedestrian ramp. In addition, Wireless Equipment shall not interfere with the view of commercial business signs, of front/principal facades of businesses, or from primary residential structures.

Free mounted disconnect may be pole located, no less than 96" above grade, minimum separation of 12" to pole mounted surge protector or meter, if any. Radio and other equipment cabinet must be no less than 10 ft. and no more than 18 ft. above grade. All exterior-mounted equipment must be located at least 12" below communication cables, if any.

Pole mounted Wireless Equipment location

	For distribution/transmission poles, must comply with applicable JEA standards.
Pole Mounted Wireless Equipment color/material	On all poles, except wood poles where allowed, all wires and cabling shall be placed internal to the pole; all pole mounted equipment, including external wires and cables, if allowed, shall be flush mounted, and shrouded or encased in a covering that matches the pole in color and texture; mounting straps shall only be allowed on poles where direct mount is not possible or impairs pole structure and in the event external straps are used, they must match pole color.
Ground mounted Wireless Equipment location (if available through waiver)	Must be located in areas of existing foliage. Must be located within ten-foot radius of pole. Shall not impede pedestrian access or interfere with planned road widening or utility infrastructure projects.
Ground mounted Color/Material (if available through waiver)	All equipment, cables, etc. must be enclosed; must use camouflage; may use wraps to conceal equipment.

Section 11. Amending Section 711.437 (Permit required; Exceptions), Ordinance Code. Section 711.437 (Permit required; Exceptions), Ordinance Code, is hereby amended to read as follows: Section 711.437 Permit required; Exceptions.

\* \* \*

(d) — Review for Collocation on — Existing Structures, - City Utility Poles or JEA - Utility Poles - prior to placing a Small Wireless

- 23 -

7

1

1 Sole Purpose New Utility Pole. The Director shall review the 2 proposed location of a Small Wireless Sole Purpose New Utility 3 Pole to determine whether another Utility Pole already existing in the vicinity of the proposed location may be used to support 4 5 the proposed Small Wireless Sole Purpose New Utility Pole. If a 6 Utility Pole already exists, the Director shall propose such 7 existing Utility Pole as an alternative location. Only when the applicant can demonstrate that no existing Utility Pole is 8 9 reasonably feasible to Collocate the Small Wireless Facilities shall the Director be authorized to approve a Small Wireless 10 Sole Purpose New Utility Pole. To assist in-determining whether 11 12 an existing Utility Pole is reasonably feasible for collocation, 13 the applicant may provide the Director with information concerning whether the closest available existing Utility Pole 14 15 fails to provide substantially the same coverage that would be 16 provided by the Small Wireless Sole Purpose New-Utility Pole, is 17 incapable of supporting the weight of all equipment and no 18 Replacement Pole may be used, collocation will result in some 19 nuisance or unsafe condition, collocation will result in 20 excessive or extraordinary financial expense compared to the 21 cost of the Small Wireless Sole Purpose New Utility Pole, 22 whether there are undergrounding plans which would eliminate the 23 proposed collocation existing Utility Pole, or such other 24 information the applicant believes is relevant to the 25 determination.

Section 12. Amending Section 711.438 (Objective design standards), Ordinance Code. Section 711.438 (Objective design standards), Ordinance Code, is hereby amended to read as follows:

29

30 (b) Objective design standards. All Small Wireless Sole Purpose
 31 New Utility Pole shall meet the following objective design

standards:

1

2

3

4

5

6

7

8

9

10

11

12

13

ſ

Small Wireless Sole Purpose New Utility Poles Generally applicable standards:

Standards applicable to all existing and new pole types (streetlight, transmission, signal, other) and materials:

- Shall at all times comply with and abide by all applicable (1) provisions of the State and Federal law and City ordinances, codes and regulations when placing, maintaining or collocating a Communications Facility or Small Wireless Utility Pole in City Rights-of-Way; no guy wires are allowed.
  - (2) No signage allowed, unless legally required; no advertising or company information allowed.
  - (3) No lights unless required by FAA.

Sole Purpose, New Pole Facilities:	
Maximum height of pole	Height limited to tallest existing pole in ROW within 500 feet; if no pole, height of new pole with antenna limited to 50 feet.
Minimum height	Prohibited on poles 15 feet or less.
Appearance	Substantially similar to design, material and color of existing poles in corridor; however if wood poles are the predominant pole in the corridor, then new pole may be wood unless there are plans to upgrade poles to a different material; fluted poles shall be used in areas where existing historic streetlights are installed along corridor.
-Diameter-of-new	<del>Diameter at base cannot be greater than 1.5×</del>
pole	<del>greater-than diameter of largest existing-pole</del>
Diameter of new	in-corridor within 500-feet, unless-an
	- 25 -

pole	architectural,-groundmounted-pedestal-is-used	
	at the pole base to internally accommodate	
	Wireless Equipment. In-such a-case, the	
	architectural base shall-be a maximum height of	
	36 inches, a maximum width of 18 inches and a	
	maximum volume of six cubic feet.	
	Diameter at base cannot be greater than 1.5×	
	greater than diameter of largest existing pole	
	in corridor within 500 feet, unless an	
	architectural, ground-mounted pedestal is used	
	at the pole base to internally accommodate	
	Wireless Equipment. In such a case, the	
	architectural base shall be a maximum height of	
	36 inches, a maximum width of 18 inches and a	
	maximum volume of six cubic feet.	
	To the extent possible consistent with	
	requirements for compatible material and	
Internal channel	diameter every new pole shall accommodate	
	internal wires, and cabling and additional	
	equipment.	
	• In areas where there is existing overhead	
	electrical service, new poles must be located	
	on the same side of the street as electrical	
	transmission/distribution line or service to	
	pole must be provided underground; in areas	
Location context	where electrical service has been	
	undergrounded, new poles must be located on	
	same side of street as existing streetlights.	
	• Located with sufficient space to accommodate	
	present and planed travel lanes for all users;	

ficial. City has plans for new sidewalk or multi-use existing sidewalk or multi-use trail or where + Мау поt be located within two feet of

sification, subject to specifie afdiesimager in an estimation property of the sector • Located equidation between existing poles

driveways and 30 feet from hydrants A 10 211 locations, muminim 10 feet from

incled critcria holow

shall not be loeated within 50 feet of the widths exceed 100 feet in which ease the poles Jof-cesinu conii Jof-sbie roirsini nommos djiw · In residential areas, poles placed in line

terdential corner lots, Vo further than 10 feet from side property driveway entrance(s) to the lot.

· Located equidistant between existing poles fier1 City has plans for new sidewalk or multi-use existing sidewalk or multi-use trail or where \* May not be located within two feet of

distance limitation, subject to specific eldiszimreqmi na ni zjíuzer oz pniob zzelnu

The all locations, minimum 10 feet from location criteria below:

enil ni besalq seloq , seers lainebiser ni . driveways and 30 feet from hydrants;

widths exceed 100 feet in which case the poles with common interior side lot lines unless lot

shall not be located within 50 feet of the

- 28 -	
Ten feet above top of pole.	1ο Jdpiəń πυπixsM
БплэтиА	· · · · · · · · · · · · · · · · · · ·
.absry avods jeet above grade.	
in areas of bicycle or pedestrian use must be	
utilities have been undergrounded; lowest wire	
connections prohibited where majority of	Aerial connections
appropriate, aerial electrical and fiber	
requiring underground utilities where	
Pursuant to the provisions in City Ordinance	
parking or loading spaces present.	e :
façade of business unless there are already	
. Cannot be placed in line with front/principal	
supis ssenizud faistemmos jo weiv diiw	
• In non-residential areas, cannot interfere	
/əanqonaqs	
Laidnebizer viem from primary residential	
<del>. 3nsearg seasde pribaol ro-pristag</del>	
<del>≮bseafe of business unless there are already</del>	
Cannot be placed in line with front/principal	
with view-of commercial business signs,	
<del>In non-residential-areas,-eannot interfere</del>	
<del>252nqpnzqs</del>	
<del>lsijnobizos- yzsmisq-mozl wożv zisqmi-jonne0 •</del>	
family residential structure.	
-91pnis s lo feet Oll nithiw betsol fou 👲	
than 60 feet wide;	
• Not in front of a residential lot less	
line on residential corner lots:	
• No further than 10 feet from side property	
driveway entrance(s) to the lot;	

Width shall not exceed 2x the diameter of the	
1063566-underground or internal to-the pole.	
Equipment in excess of ten-eu. feet shall-be	·
<del>the diameter of the pole. All Wireless</del>	Wireless Equipment
* <del>2 boosxs fon -LLsde dfbiw-fnomgiups bac-eodai</del>	To Jnemiseoroo bus
depth-of any such equipment shall not exceed 20	Location context
pole mounted, flush with the pole, provided the	
<mark>∩Ь со сси сп. Цс. р∖ хојлтс тау bc ексеглајју</mark>	
Equipment shall not exceed 30 Cu. Ft.	amulov
ssələriW (la to əmulov mumixam əvitalumu)	θνίζείμπυς χεΜ
Wireless Equipment	
no limit on antennae within shroud.	shrouds allowed
one 6 cu. foot antenna shroud only per pole but	вппэјпв 10 тэdmuN
and equipment must be enclosed in shroud.	color/material
Must match color and style of pole, all wiring	Shroud
τορ (cylinder).	pnozys
Diameter no more than 2× greater than new pole	snnəjns jo əzi2
smoothly transition to top of pole.	
completely shrouded, in line with pole and must	
Antenna sud its connection to pole must be	Camouflage required
<del>smoothly transition to top of pole.</del>	Enclosurc required
<del>soum bac slog diew-snit ni-tebuorde visit pole and must</del>	
Antenna and its connection to pole must be	
	antenna
.jeet. 8	1ο ອπυίον χεΜ
pole.	
Flush mounted to top of pole only, in line with	Antenna locitson
	6nn9jna

- 30 -	
On all poles, except wood poles where allowed, all wires and cabling shall be placed internal to the pole; all pole mounted equipment, including external wires and cables, if allowed, shall be flush mounted, and shrouded or encased in a covering that matches the pole in color and texture; mounting straps shall only be allowed on poles where direct amount is	Pole mounted Leirəjem\roloo
Free mounted disconnect may be pole located, no less than 96" above grade, minimum separation of 12" to pole mounted surge protector or meter, if any; Radio and other equipment All exterior-mounted equipment must be located at least 12" below communication cables, if For traffic signal poles and streetlights, replacement pole must be the same height as the original pole. For transmission/distribution poles, replacement pole may be up to five feet above the original pole for transmission/distribution	Pole mounted Mireless Equipment noifsool
pole. All grounding rods must be below grade and inside a pull box which meets FDOT standards and must not be placed on a pedestrian ramp. In addition, Wireless Equipment shall not interfere with the view of commercial business signs, of front/principal facades of businesses, or from primary facades of businesses, or from primary	

All equipment, cables, etc. must be enclosed; must use camouflage; may use wraps to conceal equipment.	Ground mounted color/material (if available through waiver)
.eki be located in areas of existing foliage. Must be located within 10 foot radius of pole.	Ground mounted Wireless Equipment (if available through waiver)
not possible or impairs pole structure and in the event external straps are used, they must	

Section 13. Codification Instructions. The codifier and the Office of General Counsel are authorized to make all chapter and division "tables of contents" consistent with the changes set forth herein. Such editorial changes and any others necessary to make the Ordinance Code consistent with the intent of this legislation are approved and directed herein, and changes to the Ordinance Code shall be made forthwith and when inconsistencies are discovered.

Section 14. Effective Date. This ordinance shall become
 20 effective upon signature by the Mayor or upon becoming effective
 21 without the Mayor's signature.

13 Form Approved:

7 đ

J Z

8

L

9

Ş

4

ε

7

τ

SΤ

16 Office of General Counsel

17 Legislation prepared by: Jason R. Teal

18 GC-#1312433-v1-2019- Ordinance Amending Chapter 711.docx